
# The Laurell HL Advantage

## **Choosing your best spin processor**



## All Laurell Technologies HL series spin processors come with the following benefits

**Windows® Wireless Touchscreen Controller:** Class 3 Bluetooth® allows cable-free programming and control

**Laurell Touch Interface:** Program creation and operation information on one screen

**Time:** 1 second to 99 minutes 59.9 seconds in 0.1 second increments

**Programs:** Twenty 51-step programs or manual mode — number of steps/programs can be user reconfigured through SPIN 3000

**SPIN 3000:** Field-proven advanced PC interface software, not required to program system

**Fluid-control lid:** Directs materials towards rear drain to prevent drips when opening the process chamber

Chemically-resistant lid: With Ø3/4" (Ø19 mm) center opening

Ø1.5" (Ø38 mm) NPP Drain Port and Gas purge

Safety door interlock: Disallows rotation when door is open

**Safety door latch:** Requires deliberate action to open process chamber

**Safety door lock:** Prevents chamber opening while program is running, or during chuck rotation after program ends

**Vacuum interlock:** Disallows rotation when there is insufficient vacuum

**Corrosion-proof configuration:** No exposed metal — therefore, no degradation using strong acids or bases

**Glovebox-ready configuration:** Continuous seal purge with CDA or inert gas required

**Lifetime Process Support** 

## Choose a size that fits your substrate

	23 Series	8 Series	15 Series
Round substrates up to:	150 mm/	200 mm/	300 mm/
	6 inches	8 inches	12 inches
Square substrates up to:	125mm/	178 mm/	230 mm/
	5 inches	7 inches	9 inches

Measurements given are the largest suggested diameter or length of a side





H6M23N



H6M8N



H6H15N

## **Required facilities**



95 - 250 V AC at 47-63 Hz



60-70 psig (4-5 bar) of N₂ or Clean Dry Air



20-28 inches (~504-711mm) Hg. 1.7 - 4.5 SCFM (0.127 M³/min.)

## Choose the housing material based on your process and chemistry:

#### **Polypropylene Copolymer**

 An exclusive copolymer resistant to solvents, strong acids, and bases

#### Teflon®

- Widest chemical resistance available
- Required for processing aggressive chemistries such as "Piranha" etch and certain acids at high concentrations

## Choose the motor performance that suits your process, now and in the future:

#### **Mz Standard Performance Motor**

- Brushed motor suitable for N<sub>2</sub> or Ar environments
- Speed range from 100 to 12,000 RPM
- Acceleration up to 13,000 rpm/second\*

### **Hz High Performance Motor**

- Brushless motor
- Speed range from 1 to 12,000 RPM
- Acceleration up to 30,000 rpm/second\*
- No measurable speed error
- Power to spin larger, heavier substrates
- Forward/Reverse rotation
- Programmable Agitation
- Limited lifetime warranty

## Choose the accessories that will help you achieve your best results:

#### **Dispense Solutions**

- **UD-3** center dispense
- UD-3b off-center dispense and Edge Bead Removal
- **Single Shot Dispense** from an open container
- Single syringe manual dispense
- Multi-syringe manual dispense

#### **Chucks: Standard and Custom**

- Non-vacuum chucks
- Minimum contact chucks
- Fragment chucks
- Basket processing chucks
- CD/DVD chucks
- High-Porosity chucks
- Lens chucks
- Embedded chucks

#### **Wireless Control**

- Remote vacuum switch
- Foot switch multifunction for hands-free control
- Multi-System control

## **Choose the experts:**

Since 1985 **Laurell Technologies** has created a broad range of unique solutions for our customers

**Laurell EDC** systems for aqueous processing are custom designed to fit your specific chemistry & process requirements, and to ensure your safety

Discuss your needs with our experienced engineers for a complete solution







All Laurell products that carry the ETL mark meet, or exceed, specific US and Canadian product safety standards



Telephone: 215-699-7278

Fax: 215-699-4311

Email: sales@laurell.com

Laurell Technologies Corporation 441 Industrial Drive North Wales, PA 19454-4150

<sup>\*</sup>Substrate size / weight dependent