

H-Sorb 4600 High Pressure & Temperature Gas Sorption Analyzer

- * Testing pressure up to 200Bar (400 Bar option);
- * Testing temperature up to 500 C (-196C option);
- * 4 testing ports;
- * Fully automatic operation controlled by software;
- * Uptake amount determination by using CO2, CH4, H2, N2 etc. gases;
- * Applicable for carbon dioxide sequestration, hydrogen storage, cold-bed methane and shale gas.

H-Sorb 4600 high pressure & temperature gas sorption analyzer introduction

Gas adsorption analysis is important in many fields of materials, such as energy storage materials, improved catalysts for petrochemical proces sing, advanced pharmaceuticals and food industries. At present, there is tremendous interest in the development of innovative materials for the transition to renewable energy. The science of gas adsorption has become particularly critical in the advancement of materials for storing fuel g ases such as hydrogen or natural gas, as well as for sequestration of greenhouse gases.

The H-Sorb 4600 high pressure & temperature gas sorption analyzer adopts the volumetric technique principle which consists of dosing a know n amount of gas adsorptive into measurement tubes where lying samples (such as zeolites, carbon nanotubes, rocks, catalysts, activated carbo ns, molecular sieve, hydrides etc.) to be analyzed. When samples reach equilibrium with the adsorbate gas (such as hydrogen, methane, carbo n dioxide, nitrogen, argon, krypton etc.), detailed and comprehensive final equilibrium pressures will be recorded automated by software. These data are used to calculate the quantity of gas adsorbed by samples.

This measurement procedure automatically repeated by software under given temperature and pressure intervals until finalized the maximum p reselected pressure. Finally, each of the equilibrium point volume adsorbed, equilibrium pressure, absolute pressure etc. data are plotted to pro duce the isotherm. By using the isotherm data, operators can calculate further more information such as Langmuir fitting isotherm, the adsorptio n rate curve, PCT (pressure-composition-temperature) or PCI (pressure-composition-isotherm) curve etc.

Pressure-Composition Isotherms (PCI) and Pressure-Composition Temperature (PCT) is one of the most informative sorption measurements. T he result is a plot of the equilibrium absorbed gas concentration in the material as a function of pressure and temperature.

Gold APP Instruments high pressure and high temperature gas adsorption analyzer H-Sorb 4600 adopts volumetric adsorption principle to dete rmine adsorption and desorption isotherms under high pressure (atmospheric to 200Bar) and high temperature (atmospheric to 500 Celsius) wit h a stainless steel VCR manifolds system, fully automated operation can control system and multi calculation methods, all these guarantee H-S orb 4600 to produce a highly repeatability and highly precision analysis data.



316L stainless steel tubings








- 1. Analysis Method: volumetric gas sorption
- 2. Versatility: adsorption/desorption isotherms measurement (atmospheric to 500 Celsius), Gibbs supercritical adsorption measurement
- 3. Data Reduction: Langmuir model regression isotherm, PCT(Pressure-Composition-Temperature) or PCI (Pressure-Composition-Isotherm) di agram/curve/isotherm measurement, TPD(temperature program desorption), Langmuir maximum adsorption constant L and adsorption pressur e constant B measurement; Langmuir correction model loading-ratio correlation regression (LCR) isotherm; Ono-Kondo (OK) lattice model isoth erm regression; adsorptive gas density and vapor-liquid equilibrium accuracy calculation under different pressures and temperatures
- 4. Measuring Ranges: continuous adsorption and desorption measurement from atmospheric to 200Bar pressure (400Bar option)
- Accuracy: repeatability errors <3%
- 6. Temperature Range: room temp. to 500 Celsius (-196C is option), accuracy±0.1 Celsius
- 7. Sample Ports: 4 samples analyzing
- 8. Transducer Accuracy: imported high precision transducers, accuracy can reach 0.05% of F.S. (full-scale), long-duration usage stability is 0.02 5% of F.S.
- 9. Ultimate Vacuum: mechanical pump 4x10⁻² Pa (3x10⁻⁴ Torr), molecular turbo pump system (1x10⁻⁶ Pa) is optional
- 10. Adsorbate Gas: high purity CO2, H2, CH4, N2 or others
- 11. Data Acquisition: high-precision and high integration data acquisition modules, minimal error, strong anti-interference ability
- 12. Specifications: Height 22.05 inches (56cm) X Width 20.87 inches (53cm) X Depth 23.62 inches (60cm); 132 pound (60kg); 220V/5A







stainless steel sample cell

H-Sorb 4600 high pressure & temperature gas sorption analyzer technical features:

- 1. Control System: imported VCR interface high pressure pneumatic valve can realize auto on-off within 200Bar, sealing performance is top to 1 x10-10 Pa.m³/s, can be used more than 500 million times; programmable logic controller (PLC) system, high integration and sound anti-interfere nce, improve stability and prolong life
- 2. Analysis Management: parameters be set by Gold APP Instruments software, fully automated, achieved unattended operation at night; H-Sor b mode is available for accurate control gas charging pressure points, gain ideal data points
- 3. Manifold System: imported 316L stainless steel thick-walled manifolds, micro welding sealing can reduce dead space largely; metal VCR con nection is convenient for installation and uninstallation
- 4. Safety Measures: H-Sorb asymptotic technology realizes auto gas-charging and degassing, prevents high pressure dangers caused by artific ial mis-operation, and also minimizes large differential pressure impact to pressure transducer



Study and research in high temperature and pressure gas adsorption, supercritical gas performance, microporous materials, hydrogen storage materials, carbon dioxide sequestration, coalbed methane, oil exploration, shale gas etc.

Materilas like catalysts, molecular sieves, active carbon, carbon nano-tube, porous carbons, metal organic frameworks (MOFs), fuel cell, hydrocarbon, alloy (LaNi 5, AB5, ZrV2, ZrCr2, ZrMn2, TiNi, FeTi etc.) and other materials.

