



SSF0822

8"Resizing LCD,200 nits LED backlight, 1024x324 ultra wide aspect ratio 16:5

SSF0822 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. it provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine, POS and industrial applications. It is high-quality full color video with energy-efficient.

Key Features

- Resizing LCD
- Ultra Wide Screen (16 : 5)
- LED Backlight
- Brightness 200 nits
- Low Power Consumption
- High Uniformity (90%)
- Slim Bezel



Specifications

Preliminary

Model No.	SSF0822
Description	8" Resizing LCD, 200 nits LED backlight , 1024x324
Display Area	195.1 x 61.2 mm
Brightness	200 cd/ m ²
Resolution	1024 x 324
Aspect Ratio	16 : 5
Contrast Ratio	500:1
Pixel Pitch (mm)	0.1905 x 0.189
Viewing Angle	140°(H), 110°(V)
Display Colors	262K
Response Time (Typical)	5 ms
Sync	LVDS
Power Consumption	3W
Dimensions (mm)	215 x 79.2 x 7.5
Weight (Net)	0.17Kg
LED Driving Board	On board
Control Board (Optional)	NA
☐ AD5621GA	VGA + Audio
☐ Others	
F / R Control Button	5 Key / 4 Key
☐ 4 Key	Power Switch, Menu, Select (+,-),
☐ 5 Key	Power Switch, Menu, Select (+,-),Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	☐ Touch Screen

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

SSD= Panel+ LED Driving Board + Control Board



Unit: mm



Ordering Information

Model Name	Description
SSF0822-ENN-A01	8",300nits,1024*324,V1

Optional Accessories

Part Number	Description