



LAND



SEA



AIR

ROC2866

1 U FANLESS 19" ,AC-DC REDUNDANT
SERVER WITH INTEL®



POWER AUTOMATION COMPUTER

- Intel® Coffee Lake-Refresh 8th/9th Processor (Up to 65W)
- 2 x SO-DIMM DDR4 2400/2666 MHz up to 64GB
- 1 x PCIe x16 Slot 1 x M.2 (Key M, PCIe x4 and SATA3) Expansion Slot
- 4 x USB3.1, 3 x DisplayPort, 2 x LAN, 1 x Line-out/Mic
- 2 x 2.5" SATA HDD/ SSD Easy Swap Tray

Specifications

SYSTEM

R [°] ° cz ~ v xz	f x z VQK 77; 7 ~ S z M z °A5, 5°95Vz z .f @ k / S z
c xz	B ° 5C ° c xz
Wz z	8 f b3NSWW NNe: 8: 6658@@@WR @ QL
M ° z	S z d9A6 M ° z
O v ° f	7 cMz 7@.Q v ° x xv y y ° z ° ° y wz v " z ° v 7A6 776 / 7 W4.Uz W288: 8588@6588B6/ ° ° cMz : v y fKgK9

DISPLAY

i QK	ez ° 7C86 7866J @6R
------	---------------------

STORAGE

N ° v c	ez ° : 6C@ 896: @6J R
RNN5f NN	8 84 f KgK RNN5f N zv v v

ETHERNET

O ° z z	S z \$76, \$7Cw QwOVKa . 76576657666 Ww ~ 8 eT: ; /
---------	---

REAR I/O

N ° v c	9 Nc2 z ° : 6C@ 896:
O ° z z	8 eT: ; S z \$76, \$7Cw QwOVKa . 76576657666 Ww /
K y °	8 94 K y ° Tv x .7 W5V27 V ° z3b /
MbW	7 ef8985 885 B;
hfL c	: hfL 94.76Qw5 /
KMSa	7 KMS z

FRONT I/O

L	7 c z L 5S y ° xv VCN
S y ° xv VCN	RNN
hfL c	8 hfL 86
Or f v ffNgv	8

APPLICATIONS, OPERATING SYSTEM

K ° xv °	M z x ° v v y S y ° v c v ~ 2O wzyzy M ° " 2c xz M 2 S z ° z K v ° v y v ~x ° " v ° xv °
----------	--

b z v ° " f z k ° y 76 @ L °
hw 7946: 2hw 794762hw 7: 46: 2Pzy v 86

PHYSICAL

N ° z ° .k N R/ :: 6 : 96 ::

k z ° ° B4 U"

M v ° f QMM

Rzv ° K ° K 2M ° ez ° v

P ° ° ° K y ° x v ° ° yz

ENVIRONMENTAL

WS3f gN3B76Qgz Wz ° y ; 6A4 2c xzy z S.gz z v z , R ° y ° /
Wz ° y ; 674 2c xzy z S.f v" z 5R ° ° gz z v z /
Wz ° y ; 674 2c xzy z S.b z v ° 5R ° ° gz z v z /
Wz ° y ; 684 2c xzy z S.f v" z 5V gz z v z /
Wz ° y ; 684 2c xzy z S.b z v ° 5V gz z v z /
Wz ° y ; 694 2c xzy z S.gz z v z ° x /

Q zz c y x e Rf x ° v xz

b z v ° " 5 Q v ° ° x Mv y .OgD86 @6 MEhgD86 A6 M'E 5Q v ° ° x Mv y .6
gz z v z ; 6 M'

f v" z gz z v z 3 6 B; M

ez v ° z R ° y ° ; + C; + 2 3x yz ° "

QMM MDv y PMMx ° v xz

Ordering Information

ebM8B@L30g

7C 7h evx 3 e ""zy Pv z f z °° B °5C ° c xz . @ k /2S z hRNQ v °x
@96 °° 9 N° v c 27 cMz 7@27 W42C6 8@6i KM° 2b z v ° " gz 4386 1@6 M

ebM8B@L3hg

7C 7h evx 3 e ""zy Pv z f z °° B °5C ° c xz . @ k /2S z hRNQ v °x
@96 °° 9 N° v c 27 cMz 7@27 W42C6 8@6i KM° 2b z v ° " gz 4396 1A6 M

Dimension

