







TITLE: RTL226-LRPCZ04-UHPDA

MARK	REVISED CONTENTS	DATE	SIGNATURE



OSD




ALL DIMENSIONS ARE IN MILLIMETERS

GENERAL Touch		GeneralTouch Co.,Ltd.					
SPEC or MATERIAL REMARK		External Dimensions	521.1*316.1*37.1	Anti-Glare	Y ☐ N ☒	DESIGNER: ZhouRui	
UNIT	DATE	Active Area	476.4*268.1	DustPro	Y ☐ N ☒		
mm	2019/10/16	Glass Thickness	2mm				
Projection:		Silk Print Color	Black			CHECKED: WangZhengHua	
		Mounting	Vesa ☒	Bracket	☒		
SHEET 1 OF 3		NOTES				APPROVED: ZhouBoLin	
RVE: 1.0	SCALE: 1:1	TOUCH TECHNOLOGY		P-CAP	☒		
Tolerance: ±1.0mm				IR/PIT			
				Non-Touch			

TITLE: RTL226-LRPCZ04-UHPDA

MARK	REVISED CONTENTS	DATE	SIGNATURE

Mounting Bracket Adjustment
Range 12.5mm (X4 Places)









ALL DIMENSIONS ARE IN MILLIMETERS

GENERAL Touch		GeneralTouch Co.,Ltd.			
SPEC or MATERIAL REMARK	External Dimensions	564.6*359.6*45	Anti-Glare	Y ☐ N ☒	DESIGNER: ZhouRui
UNIT	DATE	Active Area	476.4*268.11	DustPro	Y ☐ N ☒
mm	2019/10/16	Glass Thickness	2mm		
Projection:		Silk Print Color	Black		
		Mounting	Vesa ☒ Bracket ☒		CHECKED: WangZhengHua
SHEET 2 OF 3		NOTES			
RVE: 1.0	SCALE: 1:1	TOUCH TECHNOLOGY	P-CAP	SAW	APPROVED: ZhouBoLin
Tolerance: ±1.0mm			IR/PIT	RESISTIVE	
			Non-Touch		

TITLE: RTL226-LRPCZ04-UHPDA


MARK	REVISED CONTENTS	DATE	SIGNATURE
△			



INSTALLATION NOTES:

1. ATTACH BRACKET 1 TO TOUCHMONITOR (ALL FOUR SIDES) WITH LOW PROFILE SCREWS (INCLUDED)
2. ATTACH BRACKET 3 TO CUSTOMER PANEL PRE CUT-OUT DRAWING (ALL FOR SIDES)
3. ATTACH BRACKET 2 TO BRACKET 3 ON ALL FOUR SIDES WITH M HEX HEAD SCREWS (INCLUDED)
4. ADJUST DEPTH OF BRACKET 2 SO MONITOR IS FLUSH WITH CUSTOMER PANEL
5. PLACE TOUCHMONITOR INTO CUSTOMER PANEL OPENING
6. SECURE TOUCHMONITOR TO BRACKET 2 FROM BEHIND WITH M4 HEX HEAD SCREWS (INCLUDED)

ALL DIMENSIONS ARE IN MILLIMETERS

GENERAL Touch		GeneralTouch Co.,Ltd.					
SPEC or MATERIAL REMARK		External Dimensions	564.6*359.6*45		Anti-Glare	Y ☐ N ☒	DESIGNER: ZhouRui
UNIT	DATE	Active Area	476.4*268.11		DustPro	Y ☐ N ☒	
mm	2019/10/16	Glass Thickness	2mm				
Projection:		Silk Print Color	Black				CHECKED: WangZhengHua
		Mounting	Vesa ☒ Bracket ☒				
SHEET 3 OF 3		NOTES					
RVE: 1.0	SCALE: 1:1	TOUCH TECHNOLOGY	P-CAP	☒	SAW		APPROVED: ZhouBoLin
Tolerance: ±1.0mm			IR/PIT		RESISTIVE		
			Non-Touch				