




GT ATL275 27" Touchcomputers (All In One)

GT ATL275 is conveniently configurable, with a 27" widescreen, projected capacitive 10-point multitouch display, available in landscape or portrait mode. Its Android OS 9.0 model is powered by a Rockchip RK3288 processor up to 1.8GHz, allowing you the flexibility to select the right one for commercial continuous (24/7) use.

Features & Benefits

- Android 9.0 with RK3288, Quad-core
- Accurate PCAP Multi-touch Technology
- Full HD (1920 x 1080)
- 2GB RAM+16GB Memory
- VESA Mounting
- Anti-glare Optional
- WIFI Connector, Bluetooth optional
- USB, Micro USB, HDMI, LAN interfaces



Applications

- | | | | | |
|----------|---------------|------------------|-----------|----------------|
| ■ Retail | ■ Corporation | ■ Medical | ■ Banking | ■ Self-service |
| ■ Gaming | ■ Kiosk | ■ Transportation | | |

SPECIFICATIONS

Name	27” Touchcomputers (All In One)	
Model	ATL275	
PC Parameters		
Processor	Rockchip RK3288, Quad-core, 1.8GHz	
Memory	2GB	
Storage	16GB	
Default display	Landscape（Can be changed to portrait mode through system settings）	
Operating System	Android9.0	
Touch Technology	PCAP	
Touch Point	10	
LCD Panel Parameters		
Aspect Ratio	16:9	
Active Display Area (V x H)	597.6×336.15 mm	
Native Resolution	1920×1080	
Response Time (Typ.)	12 ms	
Display Colors	16.7M	
Luminance (Typ.)	300 cd/m²	
Contrast Ratio (Typ.)	3000:1	
Viewing Angle (Typ.)	Horizontal (left/right) CR≥10	178° (89°/89°)
	Vertical (up/down) CR≥10	178° (89°/89°)
I/O Port		
LAN	1×RJ45	
WLAN	WIFI/Bluetooth	
USB Port	2× USB2.0 1× Micro USB (OTG)	
VGA/HDMI/DP (Display) Port	1×HDMI out	
Power In	1×12V DC Jet Ø 2.5	
Overall Parameters		
Case/Bezel Color	Black	
Mounting Options	VESA 75 x 75 100 x100mm	
Outline Dimension（W×H×D）	658.7×399.4×52mm	

Power Supply	Input Voltage Range: +12VDC $\pm$ 5%
Speaker(inside)	2 $\times$ 2W
Power Consumption (type)	45W
Operating Altitude	$\leq$ 3000m
Temperature	Operating: 0°C to 40°C, storage: -20°C to 60°C
Humidity (non-condensing)	Operating: 20% to 80%, storage: 10% to 90%
Agency Approvals	FCC, CE
Warranty	2 years

Ordering Information

Model	Part Number	Description
ATL275-RC1-2B00-A02-1.0	110303017R	21.5", RK3288, 2G+16G, 300nits, PCAP, Speaker

Contact sales for other options

Optional Accessories

Model	Part Number	Description
AC cable		UK/EU/US 1500mm
Power Adapter	130102978R	12V/4.17A

Go to www.generaltouch.com for more products and information, or contact us.

General Touch Co., LTD reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products.

Tel: 0086-28-85124120

Fax: 0086-28-85124115

E-mail: info@generaltouch.com

<http://www.generaltouch.com>