




GT ATL325 32" Touchcomputers (All In One)

GT ATL325 is conveniently configurable, with a 32" widescreen, projected capacitive 10-point multitouch display, available in landscape or portrait mode. Its Android OS 7.1 model is powered by a Rockchip RK3288 processor up to 1.8GHz, allowing you the flexibility to select the right one for commercial continuous (24/7) use.

Features & Benefits

- Android 7.1 with RK3288, Quad-core
- Accurate PCAP Multi-touch Technology
- Full HD (1920 x 1080)
- 2GB RAM+16GB Memory
- VESA Mounting
- Antimicrobial and Anti-glare Optional
- WIFI Connector, Bluetooth optional
- USB, Micro USB, HDMI, LAN interfaces



Applications

- | | | | | |
|----------|---------------|------------------|-----------|----------------|
| ■ Retail | ■ Corporation | ■ Medical | ■ Banking | ■ Self-service |
| ■ Gaming | ■ Kiosk | ■ Transportation | | |

SPECIFICATIONS

Name	32” Touchcomputers (All In One)	
Model	ATL325	
PC Parameters		
Processor	Rockchip RK3288, Quad-core, 1.8GHz	
Memory	2GB	
Storage	16GB	
Default display	Landscape（Can be changed to portrait mode through system settings）	
Operating System	Android7.1	
Touch Technology	PCAP	
Touch Point	10	
LCD Panel Parameters		
Aspect Ratio	16:9	
Active Display Area (V x H)	698.4×392.85 mm	
Native Resolution	1920×1080	
Response Time (Typ.)	8 ms	
Display Colors	16.7M	
Luminance (Typ.)	400 cd/m²	
Contrast Ratio (Typ.)	1200:1	
Viewing Angle (Typ.)	Horizontal (left/right) CR≥10	178° (89°/89°)
	Vertical (up/down) CR≥10	178° (89°/89°)
I/O Port		
LAN	1×RJ45	
WLAN	WIFI /Bluetooth	
USB Port	2× USB2.0 1× Micro USB (OTG)	
VGA/HDMI/DP (Display) Port	1×HDMI out	
Power In	AC 110~240V	
Overall Parameters		
Case/Bezel Color	Black	
Mounting Options	VESA 100×200mm	
Outline Dimension（W×H×D）	752.7×447.3×49mm	

Power Supply	Input Voltage Range: AC 110~240V
Speaker(inside)	2× 2W
Power Consumption (type)	60W
Operating Altitude	≤ 3000m
Temperature	Operating: 0°C to 40°C, storage: -20°C to 60°C
Humidity (non-condensing)	Operating: 20% to 80%, storage: 10% to 90%
Agency Approvals	FCC, CE
Warranty	2 years

Ordering Information

Model	Part Number	Description
ATL325-RC1-2B00-A02-1.0	110303031R	21.5", RK3288, 2G+16G, 400nits, PCAP, Speaker

Contact sales for other options

Optional Accessories

Model	Part Number	Description
AC cable		UK/EU/US 1500mm

Go to www.generaltouch.com for more products and information, or contact us.

General Touch Co., LTD reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products.

Tel: 0086-28-85124120

Fax: 0086-28-85124115

E-mail: info@generaltouch.com

<http://www.generaltouch.com>