



MA-CQ26-1X

Specifications

380 MHz-6 GHz Multi Band Omni Antenna

MARS Multi Band Omni Antenna covers all the bands for 2G, 2.5G and 3G cellular, as well as ISM, WLAN, UNII, Bluetooth, Wi-Fi, WMTS and IMT-MC450. The antenna is aesthetic and has unobtrusive profile that blends easily with any environment.

The antenna is easy-installed and is highly recommended as an outstanding logistic solution for In-Building Installations.

The antenna is PIM certified, thus making it suitable for all multi-carrier systems.

Available in iBwave database

Electrical						
Standard	TETRA, IMT- MC450, WMTS, DVB-T LTE	SMR, AMPS, CDMA, TDMA, GSM 900	WMTS, PCS, DECT, GSM 1900, UMTS	Bluetooth, ISM, WLAN	WLL, Broad- band access Licensed Band	Home land Security, UNII, WLL, H-LAN, Wi-Fi
Frequency range	380-806 MHz	806-960 MHz	1.395-1.432 1.71-2.17 GHz	2.3-2.5 GHz	3.3-3.7 GHz	4.9-6 GHz
GAIN, typ.	1 (2*)	4	5	5	5	6
VSWR, max.	3:1 (2.5:1*)	2:1	2:1	2:1	1.9 : 1	1.9 : 1
Polarization	Linear, Vertical					
Input power, max.	50 Watt					
Input Impedance	50 Ohm					
PIM, 3rd order, 2X20W (option)	<-155 dBc					

Mechanical				
Dimensions (HxWxD)	Base Diameter - 275 mm (10.8"), Height - 187 mm (7.36")			
Weight	550 gr.			
Connector	See Ordering Options			
Back Plane	Aluminum; protected through chemical passivation			
Radome	UV Protected Polycarbonate			
Water Proofing	IP-67 (for outdoor use only)			
Mount	Ceiling Mounting			
Environmental				
Operating Temp. Range	-40°C to +65°C			
Vibration	According to IEC 60721-3-4			
Flammability	UL94			
Humidity	ETS 300 019-1-4, EN 302 085 (annex A.1.1)			

Ordering Options		
MA-CQ26-1X	Antenna Indoor	
MA-CQ26-1XT	Antenna Indoor with DC Return Option	
MA-CQ26-1XR	Antenna Outdoor	
MA-CQ26-1XDIN	Antenna Intdoor with 4.3-10 Female connector	
MA-CQ26-1XRDIN	Antenna Outdoor with 4.3-10 Female connector	
*) Specifications for Ground Plate of 40 cm and up, or above a metal surface, with a spacing of 35-45 mm.		

Patent Pending

Patterns are available on our website.

MARS Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.

3 Hamanor st. Holon 5886103, P.O.Box 1852 Holon 5811801, Israel

ES France - Département RF & Hyperfréquences - 127 rue de Buzenval BP 26 - 92380 Garches Tél. 01 47 95 99 60 - Fax. 01 47 01 16 22 - e-mail: hyper@es-france.com - Site Web: www.es-france.com

