



MODEL NO.:

BM310 - 4KS

31.5"

4K Broadcast Director

Monitors




3G-SDI



4K HDMI

3840x2160

CNC Aluminium



Quad-Split
Viewing

4K

Broadcast monitor for 4K/Full HD camcorder & DSLR



ES France - Mobilité & Systèmes Embarqués
127 rue de Buzenval BP 26 - 92380 Garches




Tél. 01 47 95 99 80
Fax. 01 47 01 16 22



e-mail : mse@es-france.com
Site Web : www.es-france.com


A Better Camera Mate

Matches with world-famous 4K/FHD camera brands, to assist cameraman in better photography experience.



97% DCI-P3 Color Space

Native, Rec.709, DCI-P3 and 3 User Defined are Optional for Color Space



Accurate Color Calibration

A specific calibration to reproduce the colors of the image color space. Color calibration supports the PRO/LTE version of ColourSpace CMS by Light Illusion.



ES France - Mobilité & Systèmes Embarqués
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 80
Fax. 01 47 01 16 22



e-mail : mse@es-france.com
Site Web : www.es-france.com

HDR

When HDR is activated, the display reproduces a greater dynamic range of luminosity, allowing lighter and darker details to be displayed more clearly. Effectively enhancing the overall picture quality.



Without HDR
Inaccurate exposure, reduced image detail, unsatisfactory viewing experience.



With HDR
Enjoy sharper images, greater detail and richer colors. Auto / HDR10 are for optional.

3D LUT

Wider color gamut range to make precise color reproduction of Rec. 709 color space with built-in 3D LUT, featuring 3 user logs.



3D LUT LOAD

Supports loading the .cube file via USB flash disk.



ES France - Mobilité & Systèmes Embarqués
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 80
Fax. 01 47 01 16 22



e-mail : mse@es-france.com
Site Web : www.es-france.com

QUAD-SPLIT



Multiple Views Display

It supports quad views splitted from different input signals simultaneously, such as SDI, HDMI, DVI and VGA.

Picture in Picture



Camera Auxiliary Functions

Plenty of auxiliary functions for taking photos and making movies, such as peaking, false color and audio level meter.



ES France - Mobilité & Systèmes Embarqués
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 80
Fax. 01 47 01 16 22



e-mail : mse@es-france.com
Site Web : www.es-france.com


Wireless Video Transmitter (Optional)

Compatible with HDMI / SDI Wireless Video Transmitters, which has 150 meters transmission distance, supports up to 1080p 60Hz. The wireless video transmitter has good signal stability and low latency.



CNC Metalwork

Front panel CNC machined precision aluminium housing with a delicate and soft touch, difficult to deform and oxidise.



WIRELESS VIDEO CONNECTIO



15V 4A DC Power Adapter



Tally Connector



Base Brackets




Or



**V-Lock Battery Plate
(Default)**

Anton Bauer Battery Plate



VESA Mount Plate



**OPTIONAL
ACCESSORIES**

