



DLF0868 / DLH0868

8.4" TFT LCD, LED Backlight 1600nits, SVGA(800x600)

8.4" TFT LCD panel, built-in 1600 nits high bright for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marine, transportation, gaming, studio display, gas pump.

Key Features

- Sunlight Readable
- LED Backlight
- High Shock & Vibration Resistance
- Low Power Consumption
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Life Expectancy
- Operation Temperature: -20°C ~ 70 °C



Specifications

Preliminary

Model No.	DLF0868	DLH0868
Description	8.4" TFT LCD, LED Backlight 1600 nits, SVGA	
Display Area (mm)	170.4(H) x 127.8(V)	
Brightness	1600 cd/m ²	
Resolution	SVGA (800 x 600)	
Contrast Ratio	600 : 1	
Pixel Pitch (mm)	0.213 x 0.213	
Viewing Angle	160°(H), 140°(V)	
Display Colors	16.2M / 262K	
Response Time (Typical)	35 ms	
Sync	LVDS	
Power Consumption	6.8W	
Dimensions (mm)	203.0(W) x 142.5(H) x 5.7(D)	
Weight (Net)	0.2Kg	
LED Driving Board	LID08	
Control Board (Optional)	☐ AD5621GA ☐ AD5621GD ☐ AD2662GDVAR	
☐ AD5621GA	VGA+Audio	
☐ AD5621GD	VGA+DVI	
☐ AD2662GDVAR	VGA+DVI (Optional S-Video/ Component / Audio)	
F / R Control Button	☐ 5 Key ☐ 4 Key	
☐ 5 Key	Power Switch, Menu, Select (+,-), Auto	
☐ 4 Key	Power Switch, Menu, Select (+,-),	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...	
Optional	☐ AOT ☐ Touch Screen	

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

DLF= Panel+LED Driving Board

DLH= Panel+LED Driving Board+Control Board






Mechanical Drawing

Outline Dimensions

Unit:mm





Ordering Information

Model Name	Description
DLF0868-ENN-A01	8.4",1600nits,SVGA, LID08,V01
DLH0868-ENN-A01	8.4",1600nits,SVGA, LID08,AD5621GA,V01
DLH0868-ENN-B01	8.4",1600nits,SVGA, LID08,AD5621GD,V01

Optional Accessories

Part Number	Description
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301030	CABLE.POWER.AC.1830mm Japan type

