



50 Ohm 8.5 GHz 3.5mm Standard Kit

Soontai - a worldwide well-known manufacturer of RF components;
- a trusted partner, provide the better choice for you.



ES France - Département RF & Hyperfréquences
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 60



e-mail : hyper@es-france.com
Site Web : www.es-france.com



50 Ohm 8.5 GHz 3.5mm Standard Kit

Introduction

The SK-5001 is a 50 ohm, 8.5 GHz, 3.5mm-type standard kit (general purpose calibration kit) that includes male and female 3.5mm-type open, short, load and two 3.5mm-type through adapters for a total of 8 complete components.

In addition, it includes an open end wrench and a torque wrench.

The SK-5001's outstanding electrical specifications make it suitable for use in the calibration of most network analyzers (e.g. HP 87xx, Agilent E5061A/B, E5062A, E5071C...etc).



Features

- Up to 8.5GHz
- High Precision
- Complete 8pcs Standard Kit
- Suitable for most 50 Ohm Network Analyzers

Advantage

- Complete Specifications
- Excellent Value

Benefit

- Cost-efficient

SK-5001 Standard Kit

Items	No.	Specifications
Open-female	SK-5001-OF	$\pm 0.8^\circ$ from nominal (DC to $\leq 3\text{GHz}$)
Open-male	SK-5001-OM	$\pm 1.2^\circ$ from nominal ($> 3\text{GHz}$ to $\leq 8.5\text{GHz}$)
Short-female	SK-5001-SF	$\pm 0.8^\circ$ from nominal (DC to $\leq 3\text{GHz}$)
Short-male	SK-5001-SM	$\pm 1.0^\circ$ from nominal ($> 3\text{GHz}$ to $\leq 8.5\text{GHz}$)
Load-female	SK-5001-LF	Return Loss $\geq 40\text{dB}$ (DC to $\leq 3\text{GHz}$)
Load-male	SK-5001-LM	Return Loss $\geq 36\text{dB}$ ($> 3\text{GHz}$ to $\leq 8.5\text{GHz}$)
F-female Through	SK-5001-TF	Return Loss $\geq 30\text{dB}$ (DC to 8.5GHz)
F-male Through	SK-5001-TM	Return Loss $\geq 30\text{dB}$ (DC to 8.5GHz)





SK-5001 Suitable for



Agilent Technologies

Agilent / HP
50 Ohm
Network Analyzers

8711/8712
8713/8714



8753



E5061A
E5062A



E5061B



E5071C
E5072A



R&S
50 Ohm
Network Analyzer

ZVL



ZVC



ZVB



ROHDE & SCHWARZ



ZVH

Anritsu,
Advantest
50 Ohm
Network Analyzer

MS2028S
MS2026S
MS2025S
MS2024S



MS2038C
MS2036C
MS2035B
MS2034B



MS4640B



R3755A



R3760



ES France - Département RF & Hyperfréquences
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 60



e-mail : hyper@es-france.com
Site Web : www.es-france.com



SK-5001 Suitable for

Copper Mountain

50 Ohm
Network Analyzer

5048



804



814



304



818



Others



<http://www.cdtianda.com>

成都 天大
TD3616C
TD3617E
TD3618C
TD3619C



北京 OuFu
OF7631A OF7633A

<http://www.ofofof.com>



南京 普納科技
PNA3766
PNA3767

<http://www.pna.com.cn>



天津 德力
NA7300A NA7100A

<http://www.deviser.com.cn>



四十一研究所
AV3656A

<http://www.ei41.com>



ES France - Département RF & Hyperfréquences
127 rue de Buzenval BP 26 - 92380 Garches



Tél. 01 47 95 99 60



e-mail : hyper@es-france.com
Site Web : www.es-france.com