

## TCXO: Temperature Controlled Crystal Oscillators

Outstanding performance, exceptional consistency and stable long-term characteristics make Connor-Winfield TCXOs preferred in demanding communications, data-com and telecom applications. Whether the application calls for less than 1 ppm performance, low cycle-to-cycle jitter, excellent TDEV or MTIE performance or just plain stable output over temperature - CW TCXOs offer solutions in surface-mount, small footprint, low-voltage, most popular logic types, low and high frequencies, and standard and industrial temperature ranges.

Part Number	Type	Family	Freq Range	Temp Range	Stability	Total Tolerance	Voltage	Package
<b>ATV1</b>	TCXO	HCMOS	2 to 50 MHz	20 to 40c	+/-0.5ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>ATV2</b>	TCXO	HCMOS	2 to 50 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>ATV2G5</b> ✓ RoHS-5/6	TCXO	HCMOS	2 to 50 MHz	0 to 50c	+/-1.0ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>ATV3</b>	TCXO	HCMOS	2 to 50 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>ATV4</b>	TCXO	HCMOS	2 to 50 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>ATV561</b>	TCXO	HCMOS	16 to 20 MHz	-40 to 85c	+/-2.0ppm	+/-5.0ppm	5.0 Vdc	14 Pin DIP
<b>ATV562</b>	TCXO	HCMOS	38.88 MHz	-40 to 85c	+/-2.0ppm	+/-7.0ppm	5.0 Vdc	14 Pin DIP
<b>HTF2</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTF2A</b>	TCXO	HCMOS	12.8 MHz to 60 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTF3</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTF3A</b>	TCXO	HCMOS	12.8 MHz to 60 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTF4</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTF4A</b>	TCXO	HCMOS	12.8 MHz to 60 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTF546A</b>	TCXO	HCMOS	12.8 MHz to 100MHz	0 to 70c	+/-2.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTF65</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	-40 to 85c	+/-5.0ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTF65A</b>	TCXO	HCMOS	12.8 MHz to 60 MHz	-40 to 85c	+/-5.0ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5A</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5B</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.20ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5C</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5D</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5E</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP

<b>HTFH5F</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5G</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-2.5ppm	+/-6.1ppm	5.0 Vdc	14 Pin DIP
<b>HTFH5H</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-4.6ppm	+/-20ppm	5.0 Vdc	14 Pin DIP
<b>HTFH6D</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH6E</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH6F</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTFH6G</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-2.5ppm	+/-6.1ppm	5.0 Vdc	14 Pin DIP
<b>HTFH6H</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-4.6ppm	+/-20ppm	5.0 Vdc	14 Pin DIP
<b>HTFL2</b>	TCXO	LVC MOS	.110 to 50 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	3.3 Vdc	14 Pin DIP
<b>HTFL3</b>	TCXO	LVC MOS	.110 to 50 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	3.3 Vdc	14 Pin DIP
<b>HTFL4</b>	TCXO	LVC MOS	.110 to 50 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	3.3 Vdc	14 Pin DIP
<b>HTFL530</b> ✓ RoHS	TCXO	LVC MOS	1 to 52 MHz	0 to 70c	+/-0.5ppm	+/-3.0ppm	3.3 Vdc	14 Pin DIP
<b>HTFL546</b>	TCXO	LVC MOS	2.0 to 77.76 MHz	0 to 70c	+/-2.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL546G</b> ✓ RoHS	TCXO	LVC MOS	1.544 to 77.76 MHz	0 to 70c	+/-2.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5A</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5B</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.20ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5D</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5G</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-2.5ppm	+/-6.1ppm	3.3 Vdc	14 Pin DIP
<b>HTFL5H</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-4.6ppm	+/-20ppm	3.3 Vdc	14 Pin DIP
<b>HTFL680</b> ✓ RoHS-5/6	TCXO	LVC MOS	2.0 to 77.76 MHz	-40 to 85c	+/-2.0ppm	+/-8.0ppm	3.3 Vdc	14 Pin DIP
<b>HTFL6D</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP

<b>HTFL6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTFL6G</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	-40 to 85c	+/-2.5ppm	+/-6.1ppm	3.3 Vdc	14 Pin DIP
<b>HTFL6H</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	-40 to 85c	+/-4.6ppm	+/-20ppm	3.3 Vdc	14 Pin DIP
<b>HTHL5F</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTV1</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	20 to 40c	+/-0.5ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>HTV1A</b>	TCXO	HCMOS	12.8 to 60 MHz	20 to 40c	+/-0.5ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>HTV1AG</b> ✓ RoHS	TCXO	HCMOS	12.8 to 60 MHz	20 to 40c	+/-0.5ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>HTV1G</b> ✓ RoHS	TCXO	HCMOS	110 KHz to 12.7999 MHz	20 to 40c	+/-0.5ppm	+/-8.0ppm	5.0 Vdc	14 Pin DIP
<b>HTV2</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV2A</b>	TCXO	HCMOS	12.8 to 60 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV2AG</b> ✓ RoHS	TCXO	HCMOS	12.8 to 60 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV2G</b> ✓ RoHS	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 50c	+/-1.0ppm	+/-8.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV3</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTV3A</b>	TCXO	HCMOS	12.8 to 60 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTV3AG</b> ✓ RoHS	TCXO	HCMOS	12.8 to 60 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTV3G</b> ✓ RoHS	TCXO	HCMOS	110 KHz to 12.7999 MHz	0 to 70c	+/-2.5ppm	+/-10ppm	5.0 Vdc	14 Pin DIP
<b>HTV4</b>	TCXO	HCMOS	110 KHz to 12.7999 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV4A</b>	TCXO	HCMOS	12.8 to 60 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV4AG</b> ✓ RoHS	TCXO	HCMOS	12.8 to 60 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV4G</b> ✓ RoHS	TCXO	HCMOS	110 KHz to 12.7999 MHz	-30 to 70c	+/-5.0ppm	+/-12.5ppm	5.0 Vdc	14 Pin DIP
<b>HTV546A</b>	TCXO	HCMOS	12 MHz to 100 MHz	0 to 70c	+/-2.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTV546AG</b> ✓ RoHS	TCXO	HCMOS	12 MHz to 100 MHz	0 to 70c	+/-2.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5A</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5B</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.20ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP

<b>HTVH5C</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5D</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5E</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5F</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5G</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-2.5ppm	+/-6.1ppm	5.0 Vdc	14 Pin DIP
<b>HTVH5H</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	0 to 70c	+/-4.6ppm	+/-20ppm	5.0 Vdc	14 Pin DIP
<b>HTVH6D</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH6E</b> ✓ RoHS	TCXO	HCMOS	6.4 to 50 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH6F</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	14 Pin DIP
<b>HTVH6G</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-2.5ppm	+/-6.1ppm	5.0 Vdc	14 Pin DIP
<b>HTVH6H</b> ✓ RoHS	TCXO	HCMOS	6.4 to 156.25 MHz	-40 to 85c	+/-4.6ppm	+/-20ppm	5.0 Vdc	14 Pin DIP
<b>HTVL5A</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5B</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.20ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5D</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5G</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-2.5ppm	+/-6.1ppm	3.3 Vdc	14 Pin DIP
<b>HTVL5H</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	0 to 70c	+/-4.6ppm	+/-20ppm	3.3 Vdc	14 Pin DIP
<b>HTVL6D</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 50 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	14 Pin DIP
<b>HTVL6G</b>	TCXO	LVC MOS	6.4 to 156.25	-40 to 85c	+/-2.5ppm	+/-6.1ppm	3.3 Vdc	14 Pin DIP

✓ RoHS				MHz					
<b>HTVL6H</b> ✓ RoHS	TCXO	LVC MOS	6.4 to 156.25 MHz	-40 to 85c	+/-4.6ppm	+/-20ppm	3.3 Vdc	14 Pin DIP	
<b>T502</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T503</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T504</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T505</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T512</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T513</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T514</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T515</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T522</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T523</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T524</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T525</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T533D5</b> ✓ RoHS	TCXO	Clipped Sinewave	12 Mhz to 20 MHz	0 to 70c	+/-2.5ppm	+/-5.0ppm	3.3 Vdc	SM 7.5x5mm	
<b>T5xx-Series</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T5xx_Series</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.28ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T602</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T603</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T604</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T605</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T612</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	
<b>T613</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm	

<b>T614</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T615</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T622</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T623</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T624</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T625</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T6xx-Series</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>T6xx_Series</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.28ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM 7.0x5mm
<b>TA5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TA5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TA5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TA5G</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-2.5ppm	+/-14ppm	3.3 Vdc	SM 7.0x5mm
<b>TA6C</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TA6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TA6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB5B</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 26 MHz	0 to 70c	+/-0.10ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB5C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB5E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB5F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB6C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB6E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TB6F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TC5C</b>	TCXO	HCMOS	6.4 Mhz to 52	0 to 70c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm

✓ RoHS			MHz						
<b>TC5E</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TC5F</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TC6C</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TC6E</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TC6F</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD5B</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 26 MHz	0 to 70c	+/-0.10ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD5C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD5E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD5F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD6C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD6E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TD6F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>TE5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TE5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TE5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TE6C</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TE6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TE6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TF5B</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 26 MHz	0 to 70c	+/-0.10ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TF5C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TF5E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>TF5F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	

<b>TF6C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 MHz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TF6E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 MHz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TF6F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 MHz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm
<b>TFHD5C</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD5D</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD5E</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD5F</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD5x-Series</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm to +/- 1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD6D</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD6E</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD6F</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFHD6X-Series</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm to +/- 1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TFLB530E</b>	TCXO	LVC MOS	6.4 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB530EG</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546</b>	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546E</b>	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546EG</b> ✓ RoHS	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546EG5</b> ✓ RoHS-5/6	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546G</b> ✓ RoHS	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLB546G5</b> ✓ RoHS-5/6	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TFLD546</b>	TCXO	LVC MOS	12.8 MHz to 155.52 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD546E</b>	TCXO	LVC MOS	12.8 MHz to 156.25 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD546E2</b>	TCXO	LVC MOS	12.8 MHz to 156.25 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm



<b>TFLD546EG</b> ✓ RoHS	TCXO	LVC MOS	12.8 MHz to 156.25 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD546EG5</b> ✓ RoHS-5/6	TCXO	LVC MOS	12.8 MHz to 156.25 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD546G</b> ✓ RoHS	TCXO	LVC MOS	12.8 MHz to 155.52 MHz	0 to 70c	+/-0.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD5D</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 40.0 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD5x-Series</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.25ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD646</b>	TCXO	LVC MOS	12.8 MHz to 155.52 MHz	-40 to 85c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD646E</b> ✓ RoHS	TCXO	LVC MOS	12.8 MHz to 155.52 MHz	-40 to 85c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD6D</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLD6X-Series</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.25ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TFLF6755</b>	TCXO	LVC MOS	12.8 MHz	0 to 70c	+/-1.5ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 29.2x25.4mm
<b>TG5C</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TG5E</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TG5F</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TG6C</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TG6E</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TG6F</b> ✓ RoHS	TCXO	HCMOS	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH5B</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 26 MHz	0 to 70c	+/-0.10ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH5C</b>		Clipped	6.4 Mhz to 52					

✓ RoHS	TCXO	Sinewave	MHz	0 to 70c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH5E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH5F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH6C</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH6E</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.50ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TH6F</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm
<b>TVHB546</b>	TCXO	HCMOS	12.8 MHz to 100 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 20.6x13.8mm
<b>TVHD5C</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD5D</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD5E</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD5F</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD5x-Series</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm to +/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD6D</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD6E</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD6F</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVHD6x-Series</b> ✓ RoHS	TCXO	HCMOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm to +/-1.0ppm	+/-4.6ppm	5.0 Vdc	SM-FR4 14x8.9mm
<b>TVLB546</b>	TCXO	LVC MOS	1.6 MHz to 50 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 20.6x13.8mm
<b>TVLD546</b>	TCXO	LVC MOS	12.8 MHz to 77.76 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TVLD5C</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 32.0 MHz	0 to 70c	+/-0.25ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TVLD5D</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 40.0 MHz	0 to 70c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TVLD5E</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TVLD5F</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm
<b>TVLD5x-Series</b>	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	0 to 70c	+/-0.25ppm to +/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm

✓ RoHS									
<b>TVLD646</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 156.25 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>TVLD6D</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 40.0 MHz	-40 to 85c	+/-0.28ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>TVLD6E</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.50ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>TVLD6F</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>TVLD6X-Series</b> ✓ RoHS	TCXO	LVC MOS	6.4 MHz to 52.0 MHz	-40 to 85c	+/-0.25ppm to +/- 1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>TVLD746</b>	TCXO	LVC MOS	12.8 MHz to 77.76 MHz	-40 to 70c	+/-1.0ppm	+/-4.6ppm	3.3 Vdc	SM-FR4 14x8.9mm	
<b>Tx5B-Series</b> ✓ RoHS	TCXO	Clipped Sinewave	6.4 Mhz to 26 MHz	0 to 70c	+/-0.10ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>Tx5x-Series</b> ✓ RoHS	TCXO	LVC MOS/Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm to +/- 1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>Tx5x_Series</b> ✓ RoHS	TCXO	HCMOS/Clipped Sinewave	6.4 Mhz to 52 MHz	0 to 70c	+/-0.25ppm to +/- 1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	
<b>Tx6x-Series</b> ✓ RoHS	TCXO	LVC MOS/Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm to +/- 1.0ppm	+/-5.0ppm	3.3 Vdc	SM 7.0x5mm	
<b>Tx6x_Series</b> ✓ RoHS	TCXO	HCMOS/Clipped Sinewave	6.4 Mhz to 52 MHz	-40 to 85c	+/-0.25ppm to +/- 1.0ppm	+/-5.0ppm	5.0 Vdc	SM 7.0x5mm	