



KANOMAX

The Ultimate Measurements

ISO9001 ISO14001



JQA2790 JQA-EM1628

Handheld Condensation Particle Counter

Model 3800



Applications

- Indoor Air Quality Investigation
- Occupational Health Control
- Gasket Leakage Testing
- Engine Exhaust Testing
- Filter Testing
- Aerosol Research

Features

- Particle size range: 0.015 to 1 μ m
- Measuring range: 0 to 100,000 particles/cm³
- Sampling airflow: 0.7L/min
- Data logging up to 100,000 measurements
- Measuring Software included (for Windows)
- USB interface for data transfer
- Power supply: 6 x AA batteries or AC adapter
- Weight: 3.3lbs (1.5kg)

Benefits

- 0.015 micron (15nm) minimum sensitivity
- Handy and Light weight
- Data storage and logging capability
- Simple to download the data to your PC via USB

Optimal Screening Tool for Nano Particles

Applications



Checking worker exposure to airborne contaminants



Leakage Testing



Engine Exhaust Testing

Handheld Condensation Particle Counter Model 3800


Specifications

Measuring Particle Size		0.015 to 1 μ m
Concentration Range		0 to 100,000 particles/cm ³
Counting Efficiency		50nm: 100 \pm 20% (15nm: More than 50%)
Zero Count Level		Less than 1 particle/cm ³
Flow Rate		Aerosol Flow: 100cc/min Total Flow: 700cc/min
Alcohol Supply	Type	100% Reagent Grade Isopropyl Alcohol
	Hours per Fill	5 hours at 73°F (23°C)
Absolute Pressure Sensor		150 to 1,150 hPa
Mode of Measurements		Repeat / Program / Counter
Display		Built-in LCD (128 x 64 dots)
Interface		USB, Printer Output Port
Data Storage		10,000 samples
Power Supply	Type	AA Alkaline or Ni-MH Battery / AC Adapter (AC 100 - 240V)
	Operating Time	5 hours (by Alkaline Battery) / 8 hours (by Ni-MH Battery)
Operating Environment		Ambient Temperature range: 50 to 95°F (10 to 35°C)
Dimensions		W 4.7 x D 5.1 x H 11.0 inches (120 x 130 x 280 mm)
Weight		3.3 lbs (1.5 kg)
Warranty		1 year (Instrument)
Standard Accessories		Operation Manual, Carrying Case, AC Adapter, Zero Filter PC Communication Cable, Data Download Software (Windows)
Optional Accessories		Ni-MH Battery, Battery Charger, Thermal Printer, Printer Cable

* Specifications subject to change without prior notice

■ Hand-held CPC Software

Simultaneously receive data and display/graph in real time. Measurement data saved as text file for export to standard calculation software such as Microsoft Excel.



■ Hardware Requirement

OS	Windows 2000/XP
CPU	Pentium-equivalent CPU or faster
RAM	64 MB or higher
HDD	40 MB free hard-disk space
Others	USB port, CD-ROM drive

Distributed by:



(ES) Equipements Scientifiques SA - Département Bio-Tests & Industries - 127 rue de Buzenval BP 26 - 92380 Garches
Tél. 01 47 95 99 90 - Fax. 01 47 01 16 22 - e-mail: bio@es-france.com - Site Web: www.es-france.com