



LiteMAX Resizing Multi Touch Display – SSD1622

16.4" Resizing LCD: Designed with Multi Touch. Brightness is 400 nits, LED backlight, 1366x254 ultra wide aspect ratio 16:3

SSD1622 is an integrated chassis display solution. It is designed with ultra-wide ratio, LED backlight and multi touch. It provides LCD panel with specific ratio for gaming player deck, digital signage, point of information, retail point of sale, and vending machine.

Key Features

- Integrated Solution
- Resizing LCD
- Ultra Wide Screen (16 : 3)
- 10 points Multi Touch
- LED Backlight
- Brightness 400nits
- High Uniformity
- Wide Dimming



Specifications		Preliminary
Model No.	SSD1622	
Description	16.4" Resizing LCD, 400nits, LED backlight, 1366x254	
Display Area	409.8x76.8 mm	
Brightness	400nits (with Touch)	
Resolution	1366 x 254	
Aspect Ratio	16 : 3	
Contrast Ratio	1000:1	
Pixel Pitch (mm)	0.3 x 0.3	
Viewing Angle	170°(H), 160°(V)	
Display Colors	16.7M	
Response Time (Typical)	5 ms	
Power Consumption	13.1W	
Dimensions (mm)	455.7x120.3x43.5mm	
Weight (Net)	2.0Kg	
LED Driving Board	LID10A09	
Control Board		
☐ AD5621GD	VGA+DVI	
☐ Others		
F / R Control Button	☐ 4 Key	
☐ 4 Key	Power Switch, Menu, Select (+,-),	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...	

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

SSD = Panel + LED Driving Board + AD Board + Housing




Unit: mm






Front View







Back_View





Bottom_View







Ordering Information

Part Number	Description
SSD1622-ETB-B21	16.4",400nits,1366*254,T/DN-PCT-USB,LID10A09,AD5621GD,V1

Optional Accessories

Part Number	Description
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301030	CABLE.POWER.AC.1830mm Japan type