



SSD1712

17.2"Resizing LCD,500 nits LED backlight, 1366x512 ultra wide aspect ratio 16:6

SSD1712 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. it provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine and industrial applications. Incorporating with A.D. control board and backlight design, it is high brightness and sunlight readable panel, can display high-quality video with energy-efficient.

Key Features

- Resizing LCD
- Ultra Wide Screen (16 : 6)
- Sunlight Readable
- LED Backlight
- High Brightness 500 nits
- Low Power Consumption
- High Uniformity (90%)
- Wide Dimming
- Life Expectancy (70,000hrs)
- Slim Bezel



Specifications

V1

Model No.	SSD1712
Description	17.2" Resizing LCD, 500 nits LED backlight, 1366x512
Display Area	409.8 x 153.6 mm
Brightness	500 cd/m ²
Resolution	1366 x 512
Aspect Ratio	16 : 6
Contrast Ratio	1000:1
Pixel Pitch (mm)	0.3 x 0.3
Viewing Angle	170°(H), 160°(V)
Display Colors	16.7M
Response Time (Typical)	3.7 ms
Sync	LVDS
Power Consumption	17W
Dimensions (mm)	432.9 x 179.9 x 40.5
Certification	CE/FCC
Weight (Net)	1.8kg
LED Driving Board	LID17
Control Board (Optional)	AD5621GA
☐ AD5621GA	VGA + Audio
☐ Others	
F / R Control Button	5 Key / 4 Key
☐ 4 Key	Power Switch, Menu, Select (+,-),
☐ 5 Key	Power Switch, Menu, Select (+,-),Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	☐ Touch Screen

Specifications are subject to change without notice.


All brands or product names are trademarks or registered trademarks of their respective companies.

SSD= Panel+ LED Driving Board + Control Board



Outline Dimensions

Unit: mm





Ordering Information

Model Name	Description
SSD1712-ENB-A01	17.2",500nits,1366*512,LID17.AD5621GA,O/B,DC 12V input.V1

Optional Accessories

Part Number	Description
840612051103	ADAPTER,12V,5A,60W.KPA-060F,DC Plug,2.1*5.5mm.P
810618301010 (Optional)	CABLE.POWER.AC.1830mm.(US Type).3PIN PLUG TO SOCKET.SVT(SPT-2)18AWG 3C BLACK.P.
810618301090 (Optional)	CABLE,POWER,AC,1830mm.(EU Type) 3PIN PLUG TO.SOCKET,H05VV-F 3G.0.75MMSQ BLACK,P
810618301050 (Optional)	CABLE,POWER,AC,1830mm.UK(FUSE) 3PIN PLUG TO.SOCKET,H05VV-F 3C(3G) 0.75MMSQ BLACK,P
810618301170 (Optional)	CABLE.POWER,AC,1830mm. (AU Type) 3PIN PLUG TO 2P SOCKET.LTSA 0.75MMSQ BLACK,P
810618301030 (Optional)	CABLE.POWER.AC.1830mm.(JP Type).2PIN PLUG Y TERMINAL TO. SOCKET.VCTF 3C 0.75MMSQ BLACK,P