



SSF/SSH3625

36.98" Resizing LCD, 1000 nits LED backlight, 1920x268 ultra wide aspect ratio 16:2.2

SSF/SSH3625 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine and industrial applications. Incorporating with A.D. control board and backlight design, it is high brightness and sunlight readable panel, can display high-quality video with energy-efficient.

Key Features

- Resizing LCD
- Ultra Wide Screen (16 : 2.2)
- Sunlight Readable
- LED Backlight
- High Brightness 1000 nits
- Low Power Consumption
- High Uniformity (90%)
- Wide Dimming
- Slim Bezel



Specifications

V1

Model No.	SSF/SSH3625
Description	36.98" Resizing LCD, 1000 nits LED backlight, 1920x268
Display Area	930.2 x 129.8 mm
Brightness	1,000 cd/m ²
Resolution	1920 x 268
Aspect Ratio	16 : 2.2
Contrast Ratio	7000:1
Pixel Pitch (mm)	0.4845 x 0.4845
Pixel Per Inch (PPI)	52
Viewing Angle	176°(H), 176°(V)
Display Colors	16.7M
Response Time (Typical)	5 ms
Sync	LVDS
Power Consumption	23W / 28W
Dimensions (mm)	965 x 163.6 x 24
Weight (Net)	3.2 Kg
LED Driving Board	LID36
Control Board (Optional)	AD2662GD, AD2662GDVAR
☐ AD2662GD	VGA + DVI
☐ AD2662GDVAR	VGA + DVI (Optional AV/ S-Video / Component / Audio)
☐ Others	
F / R Control Button	5 Key / 4 Key
☐ 4 Key	Power Switch, Menu, Select (+, -),
☐ 5 Key	Power Switch, Menu, Select (+, -), Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	☐ Touch Screen

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

SSF= Panel+ LED Driving Board


SSH= Panel+ LED Driving Board + Control Board




Mechanical Drawing

Outline Dimensions

Unit: mm





REV	ECN NO.	DESCRIPTION	SIGN	DATE
VA		樣品製作	Ricky_Yeh	2012/10/26

APPROVED	CHECKED	DESIGNED	DATE
		Ricky_Yeh	

UNIT	SCALE	WEIGHT	FILED GENERAL TOLERANCE	3rd Angle	ORIGINAL MODEL
MM	1:1		±0.5		SL3615
TITLE					
SL3615-Outline Dimension Drawing					
DRAWING NO:PART NO:					
DESCRIPTION					
LitMax					
LitMax Electronic Inc.					
SIZE					
A4					
SHEET					
1-2					
REV					
VA					



Ordering Information

Model Name	Description
SSF3625-ENN-A01	36.98",1000nits,1920*268,LID36,V01
SSH3625-ENN-G01	36.98",1000nits,1920*268,LID36,AD2662GD,DC12V input,V01

Optional Accessories

Part Number	Description
840612051210 (Optional)	ADAPTER,AC/DC,12V/5.4A,65W,Atech OEM A065112-TDx.4P SLIDING CAP,P
810618301010 (Optional)	CABLE.POWER.AC.1830mm.(US Type).3PIN PLUG TO SOCKET.SVT(SPT-2)18AWG 3C BLACK.P.
810618301090 (Optional)	CABLE,POWER,AC,1830mm.(EU Type) 3PIN PLUG TO.SOCKET,H05VV-F 3G.0.75MMSQ BLACK,P
810618301050 (Optional)	CABLE,POWER,AC,1830mm.UK(FUSE) 3PIN PLUG TO.SOCKET,H05VV-F 3C(3G) 0.75MMSQ BLACK,P
810618301170 (Optional)	CABLE.POWER,AC,1830mm. (AU Type) 3PIN PLUG TO 2P SOCKET.LTSA 0.75MMSQ BLACK,P
810618301030 (Optional)	CABLE.POWER.AC.1830mm.(JP Type).2PIN PLUG Y TERMINAL TO. SOCKET.VCTF 3C 0.75MMSQ BLACK,P