

TIER-1/TIER-2 FIBER CERTIFICATION KITS



EXFO's Fiber Certification kits cover all test requirements to perform clear, fast and first-time-right system acceptance. This brochure is designed to help you find the kit and accessories that best meet your needs.

A WIDE RANGE OF MAXTESTER-940 FIBER CERTIFICATION KITS

- › Basic tier-1 certification kits (with singlemode, multimode or Quad options)
- › Advanced tier-2 certification kits (with Quad option)
- › Fully-loaded tier-1/tier-2 combo kit (with Quad option)
- › Fiber inspection and cleaning kits
- › Accessories (for tier-1 fiber certification kits)



RELATED PRODUCTS



FIP-400B Fiber Inspection
Probe (Wi-Fi or USB)



MAX-940 Fiber
Certifier OLTS



FTB-720 QUAD
OTDR/iOLM



FastReporter 2



GET THE RIGHT KIT FOR THE RIGHT JOB

All MaxTester 940 Fiber Certification kits cover the requirements to **certify structured cabling** in **data-center and enterprise environments**. These kits are ready to use: **simply unpack and start testing right away**.

Whether you are testing **singlemode fiber (SM)**, **multimode fiber (MM)** or **both (QUAD)**, we have a kit for you. Each MAX-940 Fiber Certification kit is designed for specific applications and test scenarios. You have the flexibility to include fiber inspection solutions and cleaning supplies as well as additional accessories.

TIER-1 FIBER CERTIFICATION KITSPAGE 3

These kits are designed for fiber optics installation within structured cabling.
They deliver automated tier-1 fiber certification.

Performs the following tests:

- › Link loss, length and polarity
- › Tier-1 certification against international standards (including TIA/IEC)
- › Inspection of fiber connector endfaces (recommended)

TIER-2 FIBER CERTIFICATION KITSPAGE 5

These kits are designed for fiber optics installation within structured cabling.
They deliver automated tier-2 fiber certification.

Performs the following tests:

- › Link loss, length and polarity
- › OTDR trace / iOLM link view
- › Connector and splice loss
- › Connector reflectance
- › Tier-2 certification against international standards (including TIA/IEC)
- › Inspection of fiber connector endfaces (recommended)

TIER-1/TIER-2 COMBO FIBER CERTIFICATION TEST KITSPAGE 6

These kits are designed for fiber optics installation within structured cabling.
They deliver automated tier-1 and tier-2 fiber certification.

Performs the following tests:

- › Link loss, length and polarity
- › OTDR trace/iOLM link view
- › Connector and splice loss
- › Connector reflectance
- › Tier-1 and tier-2 certification against international standards (including TIA/IEC)
- › Inspection of fiber connector endfaces (recommended)

ADD-ON ACCESSORY KITS (FOR TIER-1 FIBER CERTIFICATION KITS).....PAGE 7

These add-on kits provide the necessary accessories and adapters to test terminated fiber with corresponding connector types.

Simply follow the color code for your kit:

MULTIMODE KIT (MM)

SINGLEMODE KIT (SM)

QUAD KIT (SM/MM)

Tier-1 Fiber Certification Kits

	TIER-1 FIBER CERTIFICATION MULTIMODE KIT	TIER-1 FIBER CERTIFICATION SINGLEMODE KIT	TIER-1 FIBER CERTIFICATION QUAD KIT
Ordering part number	To test LC/UPC terminated fiber: MFC-T1-MM-EI-EUI-98 To test SC/UPC terminated fiber: MFC-T1-MM-EI-EUI-91	To test LC/UPC terminated fiber: MFC-T1-SM-EI-EUI-98 To test SC/UPC terminated fiber: MFC-T1-SM-EI-EUI-91	To test LC/UPC terminated fiber: MFC-T1-Q-EI-EUI-98 To test SC/UPC terminated fiber: MFC-T1-Q-EI-EUI-91
Certifier units:	MaxTester 940 Fiber Certifier Quad OLTS (main and remote)	MaxTester 940 Fiber Certifier Quad OLTS (main and remote)	MaxTester 940 Fiber Certifier Quad OLTS (main and remote)
Port 1:	850/1300 nm	1310/1550 nm	800/1300 nm
Port 2:	SM hardware ready and field upgradable to 1310/1550 nm		1310/1550 nm
EF (if multimode):	Built-in EF-compliant multimode port		Built-in EF-compliant multimode port
Power meter:	InGaAs power meter	InGaAs power meter	InGaAs power meter
Visual fault locator (VFL):	2 built-in VFL options with 1.25 mm VFL adapter	2 built-in VFL options with 1.25 mm VFL adapter	2 built-in VFL options with 1.25 mm VFL adapter
Test cords:	4 reference-grade MM test cords OM3	4 reference-grade SM test cords OS2	> 4 reference-grade MM test cord OM3 > 4 reference-grade SM test cord OS2
Accessories:	<ul style="list-style-type: none"> > 4 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides 	<ul style="list-style-type: none"> > 4 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides 	<ul style="list-style-type: none"> > 8 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides
Price:			



Example of the tier-1 fiber certification quad kit with fiber inspection in the suitcases provided.

Tier-1 Fiber Certification Kits including Fiber Inspection

TIER-1 FIBER CERTIFICATION MULTIMODE KIT WITH INSPECTION AND CLEANING KITS

TIER-1 FIBER CERTIFICATION SINGLEMODE KIT WITH INSPECTION AND CLEANING KITS

TIER-1 FIBER CERTIFICATION QUAD KIT WITH INSPECTION AND CLEANING KITS

Ordering part number	To test LC/UPC terminated fiber: MFC-T1-MM-EI-EUI-98-FP420B-UPC-DELUXE To test SC/UPC terminated fiber: MFC-T1-MM-EI-EUI-91-FP420B-UPC-DELUXE	To test LC/UPC terminated fiber: MFC-T1-SM-EI-EUI-98-FP420B-UPC-DELUXE To test SC/UPC terminated fiber: MFC-T1-SM-EI-EUI-91-FP420B-UPC-DELUXE	To test LC/UPC terminated fiber: MFC-T1-Q-EI-EUI-98-FP420B-UPC-DELUXE To test SC/UPC terminated fiber: MFC-T1-Q-EI-EUI-91-FP420B-UPC-DELUXE
Certifier units:	Tier-1 certifier OLTS kit MaxTester 940 Fiber Certifier Quad OLTS (main and remote)	Tier-1 certifier OLTS kit MaxTester 940 Fiber Certifier Quad OLTS (main and remote)	Tier-1 certifier OLTS kit MaxTester 940 Fiber Certifier Quad OLTS (main and remote)
Port 1:	850/1300 nm	1310/1550 nm	800/1300 nm
Port 2:	SM hardware ready and field upgradable to 1310/1550 nm		1310/1550 nm
EF (if multimode):	Built-in EF-compliant multimode port		Built-in EF-compliant multimode port
Power meter:	InGaAs power meter	InGaAs power meter	InGaAs power meter
VFL:	2 built-in VFL options with 1.25 mm VFL adapter	2 built-in VFL options with 1.25 mm VFL adapter	2 built-in VFL options with 1.25 mm VFL adapter
Test cords:	4 reference-grade MM test cords OM3	4 reference-grade SM test cords OS2	> 4 reference-grade MM test cord OM3 > 4 reference-grade SM test cord OS2
Accessories:	<ul style="list-style-type: none"> > 4 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides 	<ul style="list-style-type: none"> > 4 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides 	<ul style="list-style-type: none"> > 8 bulkhead adaptors > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) > 2 Getting Started guides
Inspection probe:	Inspection kit 2 FIP-420B analysis digital video inspection probe, with automated PASS/FAIL analysis, triple magnification, auto-centering	Inspection kit 2 FIP-420B analysis digital video inspection probe, with automated PASS/FAIL analysis, triple magnification, auto-centering	Inspection kit 2 FIP-420B analysis digital video inspection probe, with automated PASS/FAIL analysis, triple magnification, auto-centering
Analysis software:	2 ConnectorMax2 software	2 ConnectorMax2 software	2 ConnectorMax2 software
Bulkhead tip:	2 FIPT-400-FC-SC: FC-SC Bulkhead tip	2 FIPT-400-FC-SC: FC-SC Bulkhead tip	2 FIPT-400-FC-SC: FC-SC bulkhead tip
Patchcord tip:	2 FIPT-400-U25M: universal patchcord tip [2.5 mm ferrule]	2 FIPT-400-U25M: universal patchcord tip [2.5 mm ferrule]	2 FIPT-400-U25M: universal patchcord tip [2.5 mm ferrule]
Additional tips:	Additional tips included with LC/UPC kit: <ul style="list-style-type: none"> > 2 FIPT-400-LC: LC bulkhead tip > 2 FIPT-400-U12M: universal patchcord tip [1.25 mm ferrule] 	Additional tips included with LC/UPC kit: <ul style="list-style-type: none"> > 2 FIPT-400-LC: LC bulkhead tip > 2 FIPT-400-U12M: universal patchcord tip [1.25 mm ferrule] 	Additional tips included with LC/UPC kit: <ul style="list-style-type: none"> > 2 FIPT-400-LC: LC bulkhead tip > 2 FIPT-400-U12M: universal patchcord tip [1.25 mm ferrule]
Accessories:	<ul style="list-style-type: none"> > 2 instruction manuals (soft copy) > 2 certificates of compliance (hard copy) > 2 compartmented plastic cases for tips > 2 protective caps and cord assembly > 2 probe soft pouches 	<ul style="list-style-type: none"> > 2 instruction manuals (soft copy) > 2 certificates of compliance (hard copy) > 2 compartmented plastic cases for tips > 2 protective caps and cord assembly > 2 probe soft pouches 	<ul style="list-style-type: none"> > 2 instruction manuals (soft copy) > 2 certificates of compliance (hard copy) > 2 compartmented plastic cases for tips > 2 protective caps and cord assembly > 2 probe soft pouches
Cleaning kit:	DELUXE cleaning kit: <ul style="list-style-type: none"> > 2 half-sized QbE™ cubes > 2 MX cleaning pens > 2 IBC™ Brand Cleaner for 1.25 mm connectors > 2 IBC™ Brand Cleaner for 2.5 mm connectors > 2 soft cases 	DELUXE cleaning kit: <ul style="list-style-type: none"> > 2 half-sized QbE™ cubes > 2 MX cleaning pens > 2 IBC™ Brand Cleaner for 1.25 mm connectors > 2 IBC™ Brand Cleaner for 2.5 mm connectors > 2 soft cases 	DELUXE cleaning kit: <ul style="list-style-type: none"> > 2 half-sized QbE™ cubes > 2 MX cleaning pens > 2 IBC™ Brand Cleaner for 1.25 mm connectors > 2 IBC™ Brand Cleaner for 2.5 mm connectors > 2 soft cases
Price:			

Tier-2 Fiber Certification Kits

TIER-2 FIBER CERTIFICATION QUAD KIT

TIER-2 FIBER CERTIFICATION QUAD KIT WITH INSPECTION AND CLEANING KITS

Ordering part number	<p>To test LC/UPC terminated fiber: KIT-CERTIF-QUAD-BASIC1-101-98-101</p> <p>To test SC/UPC terminated fiber: KIT-CERTIF-QUAD-BASIC1-91-54-91</p>	<p>To test LC/UPC terminated fiber: KIT-CERTIF-QUAD-PRO1-101-98-101</p> <p>To test SC/UPC terminated fiber: KIT-CERTIF-QUAD-PRO1-91-54-91</p>
Certifier units:	<p>iOLM QUAD tier-2 certification basic kit</p> <ul style="list-style-type: none"> > Platform: FTB-1 > Touchscreen, color, 800 x 480 TFT, 178 mm (7 in) <ul style="list-style-type: none"> > Storage: 16 GB internal memory > Interfaces: <ul style="list-style-type: none"> - RJ-45 LAN 10/100/1000 Mbit/s - USB 2.0 ports (quantity: 2) > Module: FTB-720 QUAD OTDR 	<p>iOLM QUAD tier-2 certification basic kit</p> <ul style="list-style-type: none"> > Platform: FTB-1 > Touchscreen, color, 800 x 480 TFT, 178 mm (7 in) <ul style="list-style-type: none"> > Storage: 16 GB internal memory > Interfaces: <ul style="list-style-type: none"> - RJ-45 LAN 10/100/1000 Mbit/s - USB 2.0 ports (quantity: 2) > Module: FTB-720 QUAD OTDR
Port 1:	850/1300 nm with SC/UPC connector	850/1300 nm with SC/UPC connector
Port 2:	1310/1550 nm with SC/APC connector	1310/1550 nm with SC/APC connector
iOLM pack:	> iOLM Advanced package, including tier-2 certification option for MM/SM testing	> iOLM Advanced package, including tier-2 certification option for MM/SM testing
SM launch/receive cable:	<p>2 singlemode launch/receive cables (150 m) with:</p> <ul style="list-style-type: none"> • SC/APC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N 	<p>2 singlemode launch/receive cables (150 m) with:</p> <ul style="list-style-type: none"> • SC/APC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N
MM launch/receive cable:	<p>1 multimode receive cable (300 m) with:</p> <ul style="list-style-type: none"> • SC/PC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N 	<p>1 multimode receive cable (300 m) with:</p> <ul style="list-style-type: none"> • SC/PC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N
EF launch/cable:	<p>1 multimode Encircled Flux (EF) launch cable (30 m) with:</p> <ul style="list-style-type: none"> • 91: SC/UPC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N 	<p>1 multimode Encircled Flux (EF) launch cable (30 m) with:</p> <ul style="list-style-type: none"> • 91: SC/UPC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N
Accessories:	<ul style="list-style-type: none"> > Hook strap > Hand strap > Calibration certificate > User manual (PDF on unit) > Getting Started guides > Semi-rigid carrying case 	<ul style="list-style-type: none"> > Hook strap > Hand strap > Calibration certificate > User manual (PDF on unit) > Getting Started guides > Semi-rigid carrying case
Inspection probe:		<p>Inspection kit</p> <p>1 FIP-430B automated analysis digital video inspection probe with automated focus, automated PASS/FAIL analysis, triple magnification, auto-centering</p>
Analysis software:		ConnectorMax2 software
Bulkhead tip:		FIPT-400-FC-SC: FC-SC bulkhead tip
Patchcord tip:		FIPT-400-U25M: universal patchcord tip (2.5 mm ferrule)
Additional tips:		<p>Additional tips included with LC/UPC kit:</p> <ul style="list-style-type: none"> > FIPT-400-LC: LC bulkhead tip > FIPT-400-U12M: universal patchcord tip (1.25 mm ferrule)
Accessories:		<ul style="list-style-type: none"> > 1 instruction manual (soft copy) > 1 certificate of compliance (hard copy) > 1 compartmented plastic case for tips > 1 protective cap and cord assembly
Cleaning kit:		<p>DELUXE cleaning kit:</p> <ul style="list-style-type: none"> > 1 half-sized QbE™ cubes > 1 MX cleaning pens > 1 IBC™ Brand Cleaner for 1.25 mm connectors > 1 IBC™ Brand Cleaner for 2.5 mm connectors > 1 soft cases
Price:		

Tier-1/Tier-2 Combo Fiber Certification Test Kits

TIER-1/TIER-2 FIBER CERTIFICATION QUAD KIT

TIER-1/TIER-2 FIBER CERTIFICATION QUAD KIT WITH INSPECTION AND CLEANING KITS

Ordering part number	<p>To test LC/UPC terminated fiber: MFC-T1T2-Q-EI-EUI-98</p> <p>To test SC/UPC terminated fiber: MFC-T1T2-Q-EI-EUI-91</p>	<p>To test LC/UPC terminated fiber: MFC-T1T2-Q-EI-EUI-98-FP420B-UPC- DELUXE</p> <p>To test SC/UPC terminated fiber: MFC-T1T2-Q-EI-EUI-91-FP420B-UPC- DELUXE</p>
Tier-1 certifier units:	Tier-1 certifier OLTS kit > MaxTester 940 Fiber Certifier Quad OLTS (main and remote)	Tier-1 certifier OLTS kit > MaxTester 940 Fiber Certifier Quad OLTS (main and remote)
Port 1:	850/1300 nm	850/1300 nm
Port 2:	1310/1550 nm	1310/1550 nm
EF:	Built-in EF-compliant multimode port	Built-in EF-compliant multimode port
VFL:	2 built-in VFL options with 1.25 mm VFL adapter	2 built-in VFL options with 1.25 mm VFL adapter
Test cords (SM):	4 reference-grade SM test cord OS2, LC/UPC or SC/UPC depending on kit P/N	4 reference-grade SM test cord OS2, LC/UPC or SC/UPC depending on kit P/N
Test cords (MM):	4 reference-grade MM test cord OM3, LC/UPC or SC/UPC depending on kit P/N	4 reference-grade MM test cord OM3, LC/UPC or SC/UPC depending on kit P/N
Accessories:	<ul style="list-style-type: none"> > 8 bulkhead adaptors, LC/UPC or SC/UPC depending on kit P/N > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > 2 Getting Started guides > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit) 	<ul style="list-style-type: none"> > 8 bulkhead adaptors, LC/UPC or SC/UPC depending on kit P/N > 2 hand straps > 2 shoulder straps > 2 rigid carrying cases > 2 Getting Started guides > FastReporter 2 software DVD > 2 AC/DC chargers > 2 calibration certificates > User manual (PDF on unit)
Tier-2 certifier units:	iOLM Quad Tier-2 Certification kit Platform: FTB-1 <ul style="list-style-type: none"> > Touchscreen, color, 800 x 480 TFT, 178 mm (7 in) > Storage: 16 GB internal memory > Interfaces: <ul style="list-style-type: none"> - RJ-45 LAN 10/100/1000 Mbit/s - USB 2.0 ports (quantity: 2) - FC/APC-SC/UPC or FC/APC-LC/UPC hybrid patchcord depending on kit P/N Module: FTB-720 QUAD OTDR/iOLM	iOLM Quad Tier-2 Certification kit Platform: FTB-1 <ul style="list-style-type: none"> > Touchscreen, color, 800 x 480 TFT, 178 mm (7 in) > Storage: 16 GB internal memory > Interfaces: <ul style="list-style-type: none"> - RJ-45 LAN 10/100/1000 Mbit/s - USB 2.0 ports (quantity: 2) - FC/APC-SC/UPC or FC/APC-LC/UPC hybrid patchcord depending on kit P/N Module: FTB-720 QUAD OTDR/iOLM
Port 1:	850/1300 nm with SC/UPC or LC/UPC connector depending on kit P/N	850/1300 nm with SC/UPC or LC/UPC connector depending on kit P/N
Port 2:	1310/1550 nm with FC/APC connector	1310/1550 nm with FC/APC connector
iOLM pack:	> iOLM Advanced package, including tier-2 certification option for MM/SM testing	> iOLM Advanced package, including tier-2 certification option for MM/SM testing
SM launch/receive cable:	2 singlemode launch/receive cables (150 m) with LC/UPC or SC/UPC connectors depending on kit P/N	2 singlemode launch/receive cables (150 m) with LC/UPC or SC/UPC connectors depending on kit P/N
MM launch/receive cable:	> 1 SC/UPC adapter for the multimode source port > 1 multimode receive cable (300 m) with LC/UPC or SC/UPC depending on kit P/N	> 1 SC/UPC adapter for the multimode source port > 1 multimode receive cable (300 m) with LC/UPC or SC/UPC depending on kit P/N
EF launch/cable:	1 multimode Encircled Flux (EF) launch cable (30 m) with: <ul style="list-style-type: none"> • 91: SC/UPC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N 	1 multimode Encircled Flux (EF) launch cable (30 m) with: <ul style="list-style-type: none"> • 91: SC/UPC input connector • 2nd port pigtail connector: LC/UPC or SC/UPC depending on kit P/N
Accessories:	<ul style="list-style-type: none"> > Hook strap > Hand strap > Calibration certificate > User manual (PDF on unit) > Getting Started guides > Semi-rigid carrying case 	<ul style="list-style-type: none"> > Hook strap > Hand strap > Calibration certificate > User manual (PDF on unit) > Getting Started guides > Semi-rigid carrying case
Inspection probe:		Inspection kit 2 FIPT-420B analysis digital video inspection probes, with automated PASS/FAIL analysis, triple magnification, autocentering
Analysis software:		2 ConnectorMax2 software
Bulkhead tip:		2 FIPT-400-FC-SC: FC-SC bulkhead tip
Patchcord tip:		2 FIPT-400-U25M: universal patchcord tip (2.5 mm ferrule)
Additional tips:		Additional tips included with LC/UPC kit: > FIPT-400-LC: LC bulkhead tip > FIPT-400-U12M: universal patchcord tip (1.25 mm ferrule)
Cleaning kit:		DELUXE cleaning kit: > 2 half-sized QbE™ cubes > 2 MX cleaning pens > 2 IBC™ Brand Cleaner for 1.25 mm connectors > 2 IBC™ Brand Cleaner for 2.5 mm connectors > 2 soft cases
Price:		

Add-on Accessory Kits (for Tier-1 Fiber Certification Kits)

TEST SC/UPC FIBERS WITH UPC SOURCE PORT

	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST SC/UPC MULTIMODE FIBER FOR UNITS WITH UPC MM SOURCE PORT	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST SC/UPC SINGLEMODE FIBER FOR UNITS WITH UPC SM SOURCE PORT	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST SC/UPC MULTIMODE AND SINGLEMODE FIBERS FOR UNITS WITH UPC SM/MM SOURCE PORT
Ordering part number	MFC-MM-SCUPC-AK1	MFC-SM-SCUPC-AK1	MFC-Q-SCUPC-AK1
List of materials included:	<ul style="list-style-type: none"> > 2 SC adapters for power-meter ports > 2 SC source adapters > 4 reference-grade test cords SC/UPC SC/UPC, OM3 MM fiber (9/125 μm) > 4 SC/PC bulkhead adapters 	<ul style="list-style-type: none"> > 2 SC adapters for power-meter ports > 2 SC source adapters > 4 reference-grade test cords SC/UPC SC/UPC, OS2 singlemode fiber (9/125 μm) > 4 SC/PC bulkhead adapters 	<ul style="list-style-type: none"> > 2 SC adapters for power-meter ports > 4 SC source adapters > 4 reference-grade test cords SC/UPC SC/UPC, OM3 MM fiber (9/125 μm) > 4 reference-grade test cords SC/PC SC/PC, OS2 SM fiber (9/125 μm) > 4 SC/PC bulkhead adapters
Price:			

TEST LC/UPC FIBERS WITH UPC SOURCE PORT

	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST LC/UPC MULTIMODE FIBER FOR UNITS WITH UPC MM SOURCE PORT	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST LC/UPC SINGLEMODE FIBER FOR UNITS WITH UPC SM SOURCE PORT	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST LC/UPC MULTIMODE AND SINGLEMODE FIBERS FOR UNITS WITH UPC SM/MM SOURCE PORT
Ordering part number	MFC-MM-LCUPC-AK1	MFC-SM-LCUPC-AK1	MFC-Q-SLCUPC-AK1
List of materials included:	<ul style="list-style-type: none"> > 2 LC adapters for power-meter ports > 2 LC source adapters > 4 reference-grade test cords LC/UPC LC/UPC, OM3 MM fiber (9/125 μm) > 4 LC/UPC bulkhead adapters 	<ul style="list-style-type: none"> > 2 LC adapters for power-meter ports > 2 LC source adapters > 4 reference-grade test cords LC/UPC LC/UPC, OS2 singlemode fiber (9/125 μm) > 4 LC/UPC bulkhead adapters 	<ul style="list-style-type: none"> > 2 LC adapters for power-meter ports > 4 LC source adapters > 4 reference-grade test cords SC/UPC SC/UPC, OM3 MM fiber (9/125 μm) > 4 reference-grade test cords LC/PC LC/UPC, OS2 SM fiber (9/125 μm) > 4 LC/UPC bulkhead adapters
Price:			

TEST APC FIBERS WITH UPC SOURCE PORT

	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST SC/APC SINGLEMODE FIBER FOR UNITS WITH UPC SM SOURCE PORT	MAX-940 FIBER CERTIFIER ACCESSORY KIT TO TEST LC/APC SINGLEMODE FIBER FOR UNITS WITH UPC SM SOURCE PORT
Ordering part number	MFC-SM-SCAPC-AK1	MFC-SM-LCAPC-AK1
List of materials included:	<ul style="list-style-type: none"> > 2 SC adapters for power-meter ports > 2 SC source adapters > 2 reference-grade test cords SC/UPC SC/UPC, OS2 singlemode fiber (9/125 μm) > 2 reference-grade test cords SC/UPC SC/APC, OS2 singlemode fiber (9/125 μm) > 4 SC bulkhead adapters 	<ul style="list-style-type: none"> > 2 LC adapters for power-meter ports > 2 LC source adapters > 2 reference-grade test cords LC/UPC LC/UPC, OS2 singlemode fiber (9/125 μm) > 2 reference-grade test cords LC/UPC LC/APC, OS2 singlemode fiber (9/125 μm) > 4 LC bulkhead adapters
Price:		

SALES AND CUSTOMER SERVICE

EXFO Headquarters

400 Godin Avenue
Quebec City, Quebec G1M 2K2 CANADA
Tel.: +1 418 683-0211
Toll-free: +1 800 663-3936 (U.S. and Canada)
Fax: +1 418 683-2170

EXFO America Inc.

3400 Waterview Parkway, Suite 100
Richardson, TX 75080 USA
Tel.: +1 972 761-9271
Toll-free: +1 800 663-3936 (U.S. and Canada)
Fax: +1 972 761-9067

EXFO Europe Ltd.

Winchester House
School Lane, Chandlers Ford, SO53 4DG UK
Tel.: +44 2380 246 800
Toll-free: +800 22 55 39 36 (+800 CALL EXFO; from most European countries)
Sales: +44 2380 246 810
Fax: +44 2380 246 801

EXFO Asia Pacific PTE Ltd.

62 Ubi Road 1, #09-01/02
Oxley Biz Hub 2, SINGAPORE 408 734
Tel.: +65 6333 8241
Fax: +65 6333 8242

www.EXFO.com/BlueCertifier

Find your nearest sales representative:

www.EXFO.com/contact-us

