



SMART BOXTM

WIRELESS SENSOR FOR CONCRETE RESISTIVITY AND TEMPERATURE

OVERVIEW

Giatec Smart BoxTM is a compact wireless device for the measurement and monitoring of electrical resistance and temperature in fresh concrete. The continuous measurements are recorded on Smart BoxTM and can be downloaded using the mobile application on Android smartphone/tablet.

The electrical resistivity of fresh concrete has been shown to provide a good indication on the water content as well as setting and hardening of concrete. Smart BoxTM provides an efficient tool for various research studies in these areas.

APPLICATION

Smart BoxTM can be used to monitor the electrical resistivity of fresh concrete. This can provide information on:

- Water concrete in fresh concrete
- Prediction of setting
- Setting time measurement
- Crack detection in concrete

FEATURES

The followings are unique features of this device:

- Wireless technology
- Compact design
- Simultaneous measurement of electrical resistance and temperature
- Optimized frequency for fresh concrete
- Long battery life (about 3 months*)
- Mobile application for Android smartphone and tablet
- Easy data sharing
- Patent pending

TECHNICAL SPECIFICATIONS

General

Reading Range	Measurement Frequency	Accuracy	Measurement Time
$1-3000 \Omega$	10 kHz	± 2%	<1 s

Operating Conditions

Туре	Value		
Operating temperature	-20 ∼ 45 °C		
Operating humidity	$10 \sim 90\%$		
Battery Charger Specification	Input:100-240Vac (50-60Hz)/Output:5Vdc(500mA)		
Dimensions of Smart Box TM unit	85 x 55 x 22 mm		

Note: Specifications are subject to change without notice.