

C-130 Powder Whiteness Tester



(ES) Equipements Scientifiques SA - Département Bio-tests & Industries - 127 rue de Buzenval BP 26 - 92380 Garches Tél. 01 47 95 99 90 - Fax. 01 47 01 16 22 - e-mail: bio@es-france.com - Site Web: www.es-france.com

Powder Whiteness Tester C-130

Quickly measures the whiteness of powders.

This instrument measures the whiteness of various powders, such as starch, wheat, sugar, drugs and cement.

It is smaller and lighter than the conventional C-100. The amount of sample required for measurement has been reduced by redesigning the sample case. In addition, sample packing has been made easier. Less time needed for preparation and a shorter warm-up period sensitivity adjustment time at start-up results in faster measurements. The use of LEDs for the light source means lower power consumption and internal heat. Regular cleaning of the glass filter is necessary for accurate measurements. A redesigned filter section simplifies cleaning.


Its compact size and its ability to carry out small-sample, low-power measurements makes the C130 a truly ecofriendly machine designed for eco-friendly times.

A compact, ecological design

Reduced depth compared to the conventional C-100 requires about half the installation area. The sample volume required for measurement is also significantly reduced. The use of blue LEDs for the light source means a longer light source lifespan, and lower power consumption and internal heat.

Installation Area





A light, compact design with about half of the installation area

Amount of sample required for measurement (for starch)



Less than half the sample amount is needed for measurement.

Quick start-up and easy measurement

Ready for measurement in about 20 seconds from start-up. To make a measurement, simply pack the sample (1), set it into the measurement area (2) and push the sample plate holder (3).







Automatic sensitivity adjustment notification

Sensitivity can be checked at any time by measuring the included whiteness standard, which has been adjusted for each machine. In the conventional C-100, sensitivity adjustment was carried out for each measurement. This is unnecessary in the C-130, which automatically notifies the user if an



adjustment becomes necessary. Simply set the standard into the machine and click the key to begin sensitivity adjustment.

Easy maintenance

Remove the tray and tip the machine onto its back so that the glass filter and rail are visible from the bottom. Cleaning can be carried out easily using the included glass wiper and brush.



Specifications : Whiteness Tester C-130

Measurement method	Reflectivity measurement
Measurement objects	Various types of powder (Starch, Wheat flour, Tapioka flour, Cement etc.)
Item of measurement	Whiteness (different from JIS whiteness)
Range of measurement	5.0-120.0
Resolution	0.1
Amount of sample	Approximately 5.5g (for starch)
Display method	Fluorescent display tube
Functions	User calibration curve, sensitivity adjustment notification, average, printer output
Temperature and humidity range	Temperature: 5-40°C Humidity: 30-85% (no condensation)
Light source	Blue LED
External output	RS-232C
Power source	100-120V AC, 200-240V AC (50/60Hz)
Power consumption	Maximum: 16W Normal: 4W (in all cases: AC100-120V, AC200-240V)
Dimensions/weight	375 (W) × 220 (D) × 250 (H) mm / 7.0kg
Accessories	Whiteness standard plate, Whiteness standard plate case, Sample platter×5, Sample platter holder, Spoon with spatula, Brush, Cleaning brush, Blower brush, Glass wiper, Replacement fuse, Power cord, Power plug conversion adapter, User manual, Simple guide to sampling



KETT ELECTRIC LABORATORY

1-8-1 Minami-Magome Ota-Ku, Tokyo 143-8507 Japan Tel.+81-3-3776-1121 Fax.+81-3-3772-3001

URL http://www.kett.co.jp/ E-mail overseas@kett.co.jp Management System Enhancement Department of the Japanese Standars Associa-tion (JSA) registers the Quality Management System of the avove organization, which conform to JIS Q 9001, ISO 9001.

Design, development and production management of Moisture Testers, NIR Composition Analyzers, Grain Inspectors and Coating Thickness Testers. Calibration and repair of Moisture Testers, NIR Composition Analyzers, Grain Inspectors and Coating Thick-



This brochure uses environmentally friendly "vegetable oil ink" and waste paper

For orders, please contact: